


45 degrees peeling test fixture P45-50N

Most suitable for sealing strength of a
cup container cover



Features

- Peeling angle is 45 degree, and this angle is nearly practical condition of opening cover.
- Useable for container height from 10 - 100 mm and diameters from 20 - 140 mm.
- Possible to measure in accordance with JIS:S0022

Applications

- This can measure peak value of the beginning of opening cover.
- Peeling strength of a film cover of plastic container. For food and medical care etc.



Note

- Design, appearance, and specifications may be changed for modification or improvement without any prior notice.
- Specific material and appearance may not be used.

Specifications

Model	P45-50N
Capacity	50 N (5 kgf)
Container maximum dimensions	Height: 10 - 100 mm Diameter: 20 - 140 mm Detachment distance is different by container size.
Weight	Grip 10 g / Jig 1500 g
Opening width	2 mm
Recommended force gauge	ZTS, ZTA and DS2
Recommended test stand	MX-500N, MX-1000N, MX2-500N, MX2-1000N and HV-1000N

Dimension

